



# Declaration of Performance

**DoP No:** RCM0005

**Product description:**

Calcium Silicate Fibre Cement Board

**Brand name and/or product code:**

RCM Y-Wall

**Intended use in accordance with hEN as foreseen by manufacturer:**

External sheathing applied to lightweight steel and timber frame solutions, fire rated partitions and OEM applications

**Registered trade name of manufacturer and contact address:**

Roofing and Cladding Materials Limited, Unit 27 Rosevale Road Parkhouse Industrial Estate West, Newcastle under Lyme, Staffordshire. ST5 7EF

**System of assessment and verification of consistency of performance of named product(s):**

AVCP System 4

**Harmonised standard:** Not relevant. The Manufacturer has undertaken self-declaration having carried out ITT and FPC conformity requirements of EN 12467

**Declared Performance:**

Essential characteristic	Performance	Harmonised technical specification
Mechanical Resistance	Class 2	EN 12467:2012
Reaction to Fire	A1	EN 13501-1
Water Permeability	Pass	EN 12467:2012
Durability against warm water	Pass	EN 12467:2012
Durability against soak/dry	Pass	EN 12467:2012
Durability against freeze thaw	Pass	EN 12467:2012
Durability against heat-rain	Pass	EN 12467:2012

The performance of RCM Y-Wall is in conformity with the declared performance.

This declaration of performance is issued under the sole responsibility of Roofing and Cladding Materials Limited.

Signed for and on behalf of Roofing and Cladding Materials Limited.

Signed:



Date: 15<sup>th</sup> August 2017

Ian Quinton, Managing Director, Roofing and Cladding Materials Limited.